

**Notice of Allowability**

Application No.

10/726,051

Applicant(s)

HASLEM ET AL.

Examiner

Tan Le

Art Unit

3632

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12/02/03.
2. ☒ The allowed claim(s) is/are 30.
3. ☒ The drawings filed on 02 December 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |  |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                               |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|   | 9. <input type="checkbox"/> Other _____.   |

### DETAILED ACTION

1. This is the first office action for serial number 10/726,051, Plastic Slab Bolster Upper, filed on 12/02/03. This application contains one claim numbered 30. Claims 1-29 have been canceled by the preliminary amendment filed on 12/02/03.
2. The preliminary amendment for specification filed on 12/03/03 also has been entered.
3. Claim 30 is allowed.
4. The following is an examiner's statement of reasons for allowance: One major distinct difference regarding claim 30 with respect to the prior art is that none of the prior art teach or suggest a rebar-engaging cap mounted on an outer edge of the planar web and extending in substantially parallel relationship to the base; and complimentary buckles formed on opposite ends of the base and the cap for interconnecting the slab bolster upper with like units in combination with other limitations recited in claim 1, which is not found in the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

5,956,912 to Carter et al.

5,910,087 to Carter

6,557,317 to Sorkin

4,835,933 to Yung

4,060,954 to Liuzza

4,815,886 to Madsen

5,899,041 to Durin

4,037,375 to Maggos et al.

4,720,957 to Madray

6,092,960 to McCallion

DE 3434017 to Friedl

CH 683933 to Mazzoleni et al.

WO 94/15038 to Johansson

The above patents disclose various types of concrete reinforcing bar supports.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tan Le whose telephone number is (703) 305-8244.

The examiner can normally be reached on Mon-Fri. from 9:00AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie Braun can be reached on (703) 308-2156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

76

Tan Le  
April 14, 2004.



LESLIE A. BRAUN  
SUPERVISORY PATENT EXAMINER